



,

«FIBER SYSTEM»

1
2
3
4
5
6
7
8
9

10
11

()

3
3
4
7
7
8
8
9

11
12
12

1.

- 1.1. _____ , _____ (_____)
 - 1.2. _____ " _____ " _____
 - 1.3. _____ 100 _____
 - 1.4. _____ , _____ , _____ 190 – 240 _____
 - 1.5. _____
 - 1.6. _____
 - 1.7. _____
- !

2.

"FIBER SYSTEM" PAL, SECAM, NTSC, ()

/ / / , /

3.

(. . .1)

~ 190 – 240 , 50
8 16
50 6.5
< 2%
. 60 dB / 60 dB
75 / 600
1 / 2.2
NTSC, PAL, SECAM
RS-232,-422,-485(2- 4- .)

/

1310 / 1550
(SM)
(MM)

(. . .1)

(. . .1)

(SM 9/125)

(MM 62,5/125)

(. . .1):

FC ST
BNC

(3)
(8)

(. . .1):

19” -R

180 125 26
482 206 44
100 000 .
5
12

(+ 25° , 95%

- 50 + 65 °
- 40 + 60 °

(,)

. 1.

1

		-	-	
()				
FS10MDD		1	2*	8
FS11MVT		1	1	8
FS11MVR		1	1	8
FS11MDT	+	1	2*	8
FS11MDR	+	1	2*	8
FS21MAA		1	1	8
FS21MAT	+	1+1	1	8
FS21MAR	+	1+1	1	8
FS12MVT		2	1	8
FS12MVR		2	1	8
FS12MDT	+	2	2*	8
FS12MDR	+	2	2*	8
FS22MAA		2	1	8
FS14MVT		4	1	8
FS14MVR		4	1	8
FS14MDT	+	4	2*	8
FS14MDR	+	4	2*	8
FS18MVT		8	2	16
FS18MVR		8	2	16
FS18MDT	+	8	2	16
FS18MDR	+	8	2	16
FS10SDD		1	2*	8
FS11SVT		1	1	8
FS11SVR		1	1	8
FS11SDT	+	1	2*	8
FS11SDR	+	1	2*	8
FS21SAA		1	1	8
FS21SAT	+	1+1	1	8
FS21SAR	+	1+1	1	8

FS12SVT		2	1	8
FS12SVR		2	1	8
FS12SDT	+	2	2*	8
FS12SDR	+	2	2*	8
FS22SAA		2	1	8
FS14SVT		4	1	8
FS14SVR		4	1	8
FS14SDT	+	4	2*	8
FS14SDR	+	4	2*	8
FS18SVT		8	2	16
FS18SVR		8	2	16
FS18SDT	+	8	2	16
FS18SDR	+	8	2	16

: / SM FC
 / MM ST
 * (FS3xxDx)

4.

2.

2

		.. .	
1	FS _____	1	
2		1	
3		1	
4	220/20 , 50		
5	(220)		
6		1 .	

5.

()

5.1. - 5 ;

- 1

5.2.

5.3.

107082 , , . , .36 .10

/ : (495) 632-01-10 email: office@fibersystem.ru

5.4. . 5.2

5.5.

6.

FS

7.

FS

8.

8.1.

		(,)	,		

8.2.

()	,	() ,		

8.3.

			-			()

9.

9.1.

()					

9.2.

10.

11.

